
Product Range Mobility solutions







Contents

ABOUT KLEEMANN

Mission	3
Innovation	б
Brand values	7
Corporate pillars	8

SERVICES & TOOLS

KLEEMANN Hub	12
KLEEMANN Portal	14
KLEEMANN E-shop	16
KLEEMANN Academy	17
KLEEMANN Design	18
Design your Lift	20
After Sales Service	22

FEATURES & UPGRADES

26
28
30
32
32
33
33

PRODUCTS

The bottle		INIOVITIQ
Elevators		KT
Passenger lifts		KT
FlexyLIFT R	36	KT
Atlas Basic	38	
Atlas RPH R	40	
Atlas Gigas R	42	Parking
HRS	44	Car lifti
		KT
Homelifts		KT
Maison100 E	46	C ·
Maison100 H	48	Scissor
Maison200 H	50	Sin
E		Do
Freight lifts		Vehicle
Hydraulic	52	Vel
Atlas Super Gigas	54	
Comparative	56	Parking
technical chart	20	UN
		Hy
		Hy
Modernization solutions	58	Hy
Wodernization solutions	50	Puzzle
		BD
Accessibility solutions		Indepe
FreeSTAIR with seat	64	UN
FreeSTAIR for wheelchair	66	UN
		Sta
		Sta
Escalators & Moving walks		
Escalators		
KEC Commercial	70	Marine

alators		
KEC Commercial	70	
KEH Heavy Duty	70	

Moving walks	
KTC Commercial	71
KTH Commercial	71
KTW Heavy Duty	71
Parking Systems	
Car lifting systems	
KTS 2200	74
KTS 3000	74
Scissor lift platforms	
Single Scissor Platform	75
Double Scissor Platform	75
Vehicle Turntable	
Vehicle Turntable	76
Parking systems	
UN_1+1	77
Hydro Park 1127	77
Hydro Park 1123	77
Hydro Park TPTP-2	77
Puzzle parking systems	
BDP-2	78
Independent Parking Systems	
UN_LPS	79
UN_OPS	79
Starke 2127	79
Starke 2227	79

arine solutions	
Passenger Elevators	82
Crew Elevators	83



A world of motion where everything is possible

Since day one, back in 1983, our core aim has been clear. To create, together with our partners, a better mobility experience for people, through lifts that excel in safety, technology, innovation, efficiency and aesthetics. Today KLEEMANN is amongst the most important lift manufacturers in European and global markets, with products and applications that range from residential and commercial lift systems for persons or freight, to escalators, moving walks, accessibility solutions, marine lifts and lift components.



More than just lifts

Think of life as a powerful force for evolution. Lifts not only move people and freight to the next floor. They are actually moving life, taking part in all its social and economic aspects.

Life-space mobility has transformed, and moving with ease and safety inside buildings has become more important than ever.

KLEEMANN products are the yield of distilled experience and compact knowledge of how people move and interact. Going beyond nuts and bolts and in the era of digital transformation and sustainability, KLEEMANN lifts are spaces that merge the physical aspect of life with the digital factor. Contemporary solutions that serve and facilitate current life and lead it to the future.





The spirit of innovation

Innovation is key to every KLEEMANN operation, from engineering and technologies, to creating smart and digital tools. Over time, the company has invested in state-of-the-art testing towers and in the integration of IoT and energy saving technologies, production automation and new digital processes.

Inspiring values

KLEEMANN values are interwoven with the company activities. They are reflected in the management model and in the entire range of its operations.

Safety

We take all necessary measures to ensure the health and safety of our personnel, customers and users when using our products and within our premises.

Passion for People

The well-being of our colleagues and customers is of utmost importance to us. We invest in the strength of the bond between the company and its personnel. We are truly passionate about what we do and we strive to create opportunities for personal and professional development for all.

Trust

Breakthrough Culture

Innovation, growth, development and improvement are all vital to our business model. We set high goals, we commit to them, we take risks and we determinedly turn any opportunity into a learning experience. We are not afraid to fail.



We do what we say and we say what we do. We place trust in our people and their abilities. At KLEEMANN, we are a united front. We are all aligned with each other and with our vision.

The high and consistent quality of KLEEMANN production processes, products and services is a non-negotiable commitment. At KLEEMANN, we implement a complete Quality Assurance System that meets all safety and quality standards and exceeds typical requirements. We apply more than 80 internal procedures and

> EN ISO 10002: 2014 Quality Management -**Customer Satisfaction**

EN ISO 45001: 2018 Occupational Health and Safety Management System


EN ISO 14001: 2015 Environmental Management System

EN ISO 14006: 2011 Eco design standard

People at the heart

Seeing and understanding human activity, makes KLEEMANN create solutions based on real wants and actual needs. This dedication to excellence in the service of people, is reflected in all decisions and initiatives.

Strong focus on values such as trust, responsibility and loyalty towards employees, customers, users and business partners, has been recognised by the industry through various awards related to corporate value, coaching, customer service, Health & Safety and Best Workplaces.



prerequisites. Any scale project around the world can be served with pre-engineered or fully customized solutions that target to a superior vertical mobility experience.

Sustainable growth

Expanding the people-oriented approach to environmental protection, KLEEMANN prioritizes sustainable growth and applies practices of responsible energy use. Energy efficiency and transition to sustainable energy are moving corporate action, production and everyday activities.





Effortless customer experience

With experience, know-how and real dedication in understanding customer needs, KLEEMANN is offering a carefree customer journey. Business is easier with KLEEMANN.





Services & Tools

KLEEMANN Hub KLEEMANN Portal KLEEMANN E-shop KLEEMANN Academy KLEEMANN Design Design your Lift After Sales Service

Services & Tools **KLEEMANN Hub**



My settings

THEME

DARK MODE


FILTERS

Notifications period

YYYY-MM-DD

KLEEMANN Hub

One operation center for all KLEEMANN digital tools. Offering quick access, the Hub is a user-friendly connection space, easy to navigate and control, with customizable environment and clean-cut design. KLEEMANN Hub will become your daily routine.



			0 .A	E	8.	۲	4
	My settings			•			
	BANK MODE Tert size	State 1		LARCE	•		
OFF	ENAULE TOOLFIPS				•		
UFF				English	e / Lingilia	*	
			-				
YYYY-MM-DD							
		~					

Customizable design • 7 available theme options • 4 text size options • 8 languages (EN, GR, DE, FR, RU, CN, PL, SP) **Notifications** View notifications or promos by Date or by App


Services & Tools **KLEEMANN Portal**

Mirrol



KLEEMANN Portal

Designed and developed for maximum ease, KLEEMANN Portal is an innovative online tool that allows you to quickly and easily create detailed designs, view changes in real time, receive guotes and order lifts tailored to any project in just a few minutes



Highlights & Features

All popular **KLEEMANN** products available, online, at the best price

Highlights

- Offer available in 5 minutes
- Planning data available in 10 minutes
- Online order
- Upgraded user experience
- Fast delivery time

Features

- Detailed designs and quotes
- Integrated cabin design options. Real-time changes
- Optimum solutions for the given dimensions of the shaft
- Realistic 3D plans and views. **Real-time changes**
- Auto correction
- Installation plans generated by the KLEEMANN Portal
- Responsive web design
- Offer request for products that are not available for order through enquiry forms

Order online

Contact your sales

representative

Atlas Basic Atlas Gigas R Atlas RPH R FlexyLIFT R Maison100 H Maison100 E Maison200 H Core Lift (Available only online)

to get access from your desktop, tablet or mobile device

Services & Tools **KLEEMANN E-shop**



KLEEMANN E-shop

A quick and easy tool to upgrade the ordering process for spare parts. It serves inquiries for orders supplied by KLEEMANN and for stock orders through a wide available range.

KLEEMANN Academy

Features & **Advantages**

How to

- Quick & easy ordering
- Fast service via simple procedures
- Instant updating about the order status

Go to www.kleemannlifts.com and register to access the E-shop

- View the analysis of the automatic door equipment according to the order's specifications
- Order manufacturing equipment for your original order
- Place order for spare parts that require custom production procedures, by visiting the SPECIAL **INOUIRY** section
- Visit the SPECIAL INOUIRY section also for any spare parts, not listed in the E-shop

Getting the knowledge, remotely







KLEEMANN Academy is an online education platform for lift technicians, designed to remotely offer training on KLEEMANN lifts. By joining the Academy, the visitor gains access to easy, useful, educational content, takes part in virtual events and upgrades knowledge on the KLEEMANN world of lifts.

- Live webinars
- Educational material
- Live events on product installation
- Self-paced, downloadable lessons
- Email notifications concerning new courses
- Constant update on any technical changes & training priority
- Customized Learning Path creation for technicians, according to specific needs
- Limited period accounts for subcontractors
- KLEEMANN certification with the completion of each lesson
- A 360° report system on each team member's progress

For more information on KLEEMANN Academy contact: academy@kleemannlifts.com

Services & Tools **KLEEMANN** Design



KLEEMANN Design

Design is for people. Every project KLEEMANN undertakes, is an opportunity to provide solutions of aesthetic excellence, covering all engineering prerequisites, adapting to regulations and taking the best out of any apparent restriction.



A special Design Team serves as the creative force behind the development of lifts for any challenging project. Our designers combine solution-oriented design with a servicedriven approach, delivering:

Creative power

Design has to integrate reality, foresee tomorrow and create an elevated user experience. Rather than thinking of an elevator as a box that moves, we see it as an active social space in a building, that is used and lived by people.

Industrial designer Andreas Zapatinas joined the creative forces of KLEEMANN in 2007 and new technical and aesthetic solutions have been explored. Since then, the experienced KLEEMANN Design Team has build on these fundamental ideas taking KLEEMANN lifts to the next level.



Custom solutions

KLEEMANN enjoys a favorable worldwide reputation for its customized design expertise. KLEEMANN offers pre-engineered or fully-customized elevators, to perfectly fit in each and every project. Being vertically integrated, KLEEMANN designs and manufactures in a way that enhances expertise and flexibility to respond reliably, quickly, precisely, and cost effectively to customer's specifications.

Contact our Design Team and transform your building at design@kleemannlifts.com

- Architectural design assistance directly with you
- Architectural assistance to determine materials
- On site visit / feedback from you

Services & Tools Design your Lift



Design your Lift

Create and view in real time, the look and feel of the elevator just the way you want it to be incorporated into your concept design, with KLEEMANN Design your Lift.

KLEEMANN Design your Lift is an innovative tool that brings your designs to life with 3D modeling. Combine materials making your selection from a wide range of options such as walls, ceilings and floors. View your creation and share or download it, quickly and effortlessly!

Design your Lift in 3 easy steps

Step 1 Enter www.designyourlift.com Step 2 Select materials & accessories **Step 3** Print or e-mail your customized cabin



Free your imagination and realize your vision.



Connect to Design your Lift

DESIGN YOUR LIFT

distant Alberton



Te sta sta sta s



Services & Tools After Sales Service




KLEEMANN After Sales Service

To ensure that designing, ordering, receiving and maintaining products is as stress-free and effortless as possible, KLEEMANN provides dedicated service teams that offer additional support and guidance at every stage.

- 24/7 support in 9 languages
- Detailed technical manuals & illustrations
- Lift Tester app to test performance on site
- KLEEMANN Live system
- KLEEMANN E-shop for 24/7 spare parts orders
- Network of local spare parts warehouses on strategic map locations

- Quick & efficient delivery system
- Field visit available upon request
- Service team available to support 1st KLEEMANN installation on site
- Troubleshooting webinars







Features & Upgrades

KLEEMANN Live Green lifts Hygiene Line Anti – Vandal Earthquake Resistant Destination Control System Firefighting



KLEEMANN Live

KLEEMANN Live is an IoT system that collects, transmits, analyzes data and provides insights for lifts in real time. It keeps you linked 24/7 so you can have access to the lifts' status remotely any time, offering peace of mind to customers.

All needed is

- A new or existing installation with GENIUS20 control panel
- The plug & play hardware (gateway–autodialer)
- SIM card with data for cloud connection and minutes for autodialer calls
- To visit <u>live.kleemannlifts.com</u> using your KLEEMANN credentials



Easy remote check

• See the live status of all connected lifts

- Check messages
- Inspect rides & statistics

SAVE TIME & MONEY

up to 30% expenses

Benefits

Mobile

& Tablet Apps

......

App Store

0

20040

20400

1010

Google Play

Reduce the duration of visits to the site

GROW YOUR BUSINESS

of technicians Reduce the number of call outs by 20%

POWER UP YOUR PERFORMANCE

Extend equipment lifetime



LIFT CONTROL

For facility managers:

- Monitoring elevators
- Remote call elevators
- Ticketing system for support
- Calendar with events
- Documents management

- Edit parameters if needed
- And all these from your laptop or smart device

- Reduce the number of scheduled maintenance visits save

- Expand and support more contracts with the same number

- Reduce down-time from unexpected problems up to 10%

LIFT CONTROL PRO

For elevator technicians:

Download the app, connect and control all your lifts. A userfriendly application that allows you to remotely keep track of the majority of KLEEMANN Live functions.

Upgrades Green lifts

Green lifts


KLEEMANN believes in sustainable development and actively safeguards the right of future generations to inherit a safe, healthy and prosperous environment.

Leveraging on innovative methods from engineering to production, KLEEMANN provides Green lifts that feature a range of eco-friendly options.

At our production processes

87,54%

of total electricity consumed in 2022 in our facilities, came from Renewable Energy Sources (RES).





75%

More than 75% of the waste from the installation of a KLEEMANN elevator is recyclable.



Available upon request

- Lift energy efficiency studies according to VDI 4707-1 & ISO 25745-2
- Application of environmental assessment methods for energy analysis BREEAM (UK) / LEED v4 (US)

CERTIFIED EMS (ENVIRONMENTAL MANAGEMENT SYSTEM) ACCORDING TO

ISO 14001

Covers the production unit in the industrial area of Kilkis (office, facilities & factories).

ECO-DESIGN PRODUCTS ACCORDING TO

ISO 14006

KLEEMANN provides Environmental Fact Sheets for Atlas Basic, Atlas Gigas R, Atlas RPH R (for 450kg and 630kg), FlexyLift R, Maison100 E, HRS MR and Purity cabins.

Regular assessment on products' full life cycle

Achievement of eco-optimized product design

- Less raw materials
- Less paints
- Less cables

Upgrades Hygiene line



Hygiene line

Cabin hygiene has always been a key challenge in lift engineering and design. KLEEMANN presents an innovative series of solutions for safer cabin environment and extra protection for passengers at all times.


Air Purifier

A solution for pure uncontaminated air in the cabin, clean of bacteria & viruses



Touchless buttons

An 100% antibacterial solution that operates by infrared induction which detects the call's activation



Anti-Bacterial buttons

Blue Line KLH-42R buttons with nano-silver coating, that can provide antibacterial and antifungal protection







Upgrades Anti-vandal



Anti-vandal (EN 81-71)

Anti-Vandal lifts withstand heavy use and abuse, thanks to vandalism resistant materials. Ideal solution for busy public spaces.

How to

Advantages

- Designed according to EN 81.71
- Reduced number of incidents and costs of damage repairs
- Robust and of high technology for exceptional ride quality

To help eliminate any damage caused to lifts in unsupervised settings, we offer a complete product which adheres to Cat 1 and Cat 2 of EN 81-71. For more info go to: **Product Features Anti-Vandal Lifts** KLEEMANN (kleemannlifts.com

Upgrades Destination Control System



Destination **Control System**

The Destination Control System increases efficiency in lift operation and exceedingly reduces waiting times in buildings with high traffic density

Advantages

- Passenger comfort
- Energy saving / Cost reduction
- Flexible configuration
- High efficiency and safety

Upgrades Earthquake Resistant



Earthquake Resistant lifts (EN 81-77)

KLEEMANN is the first in Europe to exclusively introduce a system that turns any hydraulic or traction lift to earthquake resistant

Advantages

- Seismic sensor for seismic waves For more information check: detection
- Passenger notification automation
- Special armoring in vital parts
- In compliance with EN 81-77 or ASME A17.1
- Option for upgrading lifts by partial installation
- Smooth operation and reliability

How to

https://www.youtube.com/ watch?v=S_dcUw5-E6c

Product Features Earthquake Resistant | KLEEMANN (kleemannlifts.com

Upgrades Firefighting



Firefighting (EN 81-72)

Firefighting elevators allow firefighters to rescue passengers who may be trapped on upper floors during an event of emergency in a building

Advantages

- Trap doors and ladders for rescue operations
- Splashing water protection for electrical components in shaft and on car
- Operation according to EN 81-72



How to

Find out everything about DCS at **Product Features Destination** Control System | KLEEMANN (kleemannlifts.com

How to

Find out about firefighting elevators (EN 81-72) at Product Features Firefighting **KLEEMANN** (kleemannlifts.com



Passenger lifts

FlexyLIFT R Atlas Basic Atlas RPH R



Products **Elevators**

Homelifts

Maison100 E Maison100 H Maison200 H

Freight lifts

Hydraulic Atlas Super Gigas

Atlas Gigas R HRS

Elevators Passenger lifts FlexyLIFT R

Passenger **FlexyLIFT R**

A versatile hydraulic lift solution that can fit buildings with limitations in shaft dimensions and machine room position

Type of lift > Hydraulic



Technical specifications

Model	FlexyLIFT R
Rated load (Kg)	180-1000
Suspension	1:2
Machine room	MR
Max travel (m)	25
Max number of stops	8
Max speed (m/s)	0,74
Min pit depth (mm)	300
Min headroom (mm)	2600
Maximum car entrances	3
Complies with	Lifts Directive 2014/33/EU



Extra features & upgrades

Recommended

uses

Residential

KLEEMANN LIVE





EARTHQUAKE RESISTANT (EN 81-77)




Description & features

a machine room.

Minimum requirements

Offering a rated load capability of 180–1000kg, almost no pit depth requirements and a minimum headroom of 2600mm, FlexyLIFT R is the perfect hydraulic solution for lift modernization in low and mid-rise buildings.





FlexyLIFT R is a cost-effective, eco-friendly and versatile lift solution that can be adapted to fit specific shaft dimensions and machine room requirements. It is ideal for existing or new residential buildings that have pit and headroom limitations. The small cabinet option for the power unit and controller, enables installation in shafts with or without

Outstanding ride quality

FlexyLIFT R is designed to deliver both premium quality construction and exceptional ride comfort. Low noise levels and minimal vibrations ensure a smooth and pleasant passenger experience.

Elevators Passenger lifts Atlas Basic

Passenger **Atlas Basic**

The cost-effective traction solution for rated loads up to 1050kg, ideal for mid-rise buildings

Type of lift > Traction



Technical specifications

Model	Atlas Basic
Rated load (Kg)	375-1000
Suspension	2:1
Machine room	Machine Room-Less (MR as an option)
Max travel (m)	65
Max number of stops	24
Max speed (m/s)	1,6
Min pit depth (mm)	1100
Min headroom (mm)	3400
Maximum car entrances	2
Complies with	Lifts Directive 2014/33/EU



Extra features & upgrades

KLEEMANN LIVE



FIREFIGHTING (EN 81-72)



Recommended uses

Residential Commercial & Public

Description & features

Atlas Basic is a highly economical traction MRL solution for residential buildings. Serving rated loads of 375–1000kg, it is designed to offer both reduced total cost of ownership (TCO) and value for money.

Minimizing sound & costs

With premium quality gearless motor and speeds of up to 1.6m/s, it is equipped with a state-of-theart inverter that minimises sound, ensures ride quality and a very low energy consumption.

Low noise levels

Remarkably low noise levels inside and outside the cabin. The noise level inside the cabin (measured according to ISO 18738) during the lift operation reaches 52-54 dB.





Emergency evacuation

In the event of power failure, the emergency evacuation system ensures safe transportation of passengers to the nearest floor where doors automatically open to allow car exit.



Passenger Atlas RPH R

A highly practical solution for buildings with pit and headroom limitations, also recommended for existing buildings

Type of lift > Traction



Technical specifications 2 FLOOR 201-218 1 FLOOR 101-115

GYM

· FLOOR RECEPTION

RESTAURANT

LOBBY-BAR MEETING ROOM

TERRACE

WC

Model	Atlas RPH R
Rated load (Kg)	450-1050
Suspension	2:1
Machine room	Machine Room-Less
Max travel (m)	40
Max number of stops	14
Max speed (m/s)	1,0
Min pit depth (mm)	320
Min headroom (mm)	2600
Maximum car entrances	3
Complies with	Lifts Directive 2014/33/EU



& upgrades

Recommended

Commercial & Public

uses

Residential

KLEEMANN LIVE



FIREFIGHTING (EN 81-72)



Description & features

Atlas RPH R provides a practical traction MRL solution for residential buildings with pit and headroom limitations. Suitable for rated loads up to 1050kg, Atlas RPH R features KLEEMANN's premium quality gearless motor and speeds of up to 1m/s.


Ease of installation

Atlas RPH R needs only c for the installation with of the subunits pre-asser and ready to be installed

Advanced inverter

The state-of-the-art inverter minimises noise and delivers outstanding ride quality and exceptionally low energy consumption. Ideal for the modernization of existing lifts and those with narrow shafts, Atlas RPH R complies with Lifts Directive 2014/33/EC and standards EN81-20, EN81-21 and EN81-70.





	. ,
one wall	Suitable for buildings with
most	reduced pit and headroom, Atlas
embled	RPH R is ideal for modernization
d.	of existing lifts. Designed to
	support the installation of up to
	three cabin doors.

Spatial efficiency

Elevators Passenger lifts Atlas Gigas R

Passenger Atlas Gigas R

The ideal option for rated loads up to 2500kg and for high density passenger flow buildings with minimum waiting times

Type of lift > Traction



Technical specifications

l'hales	
Model	Atlas Gigas R
Rated load (Kg)	1150-2500
Suspension	2:1
Machine room	Machine Room-Less (MR as an option)
Max travel (m)	45
Max number of stops	16
Max speed (m/s)	1,6
Min pit depth (mm)	1100
Min headroom (mm)	3800
Maximum car entrances	2

Complies with

Lifts Directive 2014/33/EU



Extra features
& upgrades

KLEEMANN LIVE

PORTAL



EARTHQUAKE RESISTANT (EN 81-77)



Recommended uses

Commercial & Public Hotel Hospital Industrial

Description & features


Stopping accuracy

Due to its gearless motor and state-of-the-art inverter, Atlas Gigas R offers excellent stopping accuracy that does not exceed 2mm while the ride quality exceeds all quality standards (measurements based on ISO 18738).

Spatial efficiency

Optimum space efficiency is granted for high density passenger flow provided by the capability for larger car installation in a standard shaft.





Atlas Gigas R is an ideal traction solution for a range of rated loads of 1050–2500kg and up to 1,6m/sec. Offering the option to install a larger car in a standardized shaft, Atlas Gigas R provides optimum space efficiency for buildings with high density passenger flow.

Machine lifting system

Atlas Gigas R is supplied with a machine lifting system, especially designed to facilitate the installation of high rated load lifts, hence, larger motors.

Elevators Passenger lifts HRS

Passenger HRS

A high-speed solution for big buildings with high density passenger flow

Type of lift > Traction





Technical specifications

Model	HRS (MRL)	HRS (MR)
Rated load (Kg)	630-1275	1000-1600
Suspension	2:1	2:1
Machine room	Machine Room-Less	Machine Room
Max travel (m)	150	150
Max number of stops	47	47
Max speed (m/s)	2,5	4,0
Min pit depth (mm)	1800	1800
Min headroom (mm)	4450	4140
Maximum car entrances	2	2
Complies with	Lifts Directive 2014/33/EU	Lifts Directive 2014/33/EU

Extra features & upgrades

KLEEMANN LIVE





HYGIENE SOLUTIONS



Recommended uses

Commercial & Public Hotel

Description & features

Premium ride quality

The isolated roller guide shoes limit vibrations and offer premium ride quality and cost saving. Exceptionally long service life for rollers due to the spring system and the permanent contact with the guide rail.

Reduced waiting times

The Destination Control System reduces waiting times by serving the increased number of calls, where it is important for the passengers to be transported rapidly.





EARTHQUAKE RESISTANT (EN 81-77)

FIREFIGHTING (EN 81-72)



DESTINATION CONTROL SYSTEM



The high-speed HRS KLEEMANN Lift delivers outstanding ride quality and innovative Remote Lift Monitoring System. Destination Control ensures reduced waiting times and smooth passenger experience.

Remote Lift Monitoring System

Providing the opportunity for improved lift management, the Remote Lift Monitoring System is an excellent solution for buildings with multiple lifts enabling the efficient and simultaneous management of up to18 lifts.



Homelift Maison100 E

The innovative electric cabin platform lift, with premium design, that makes best use of available space and is extremely energy efficient

Type of lift > Electric



Technical specifications

Model	Maison100 E
Rated load (Kg)	Up to 400
Max travel (m)	12
Max number of stops	5
Max speed (m/s)	0,15
Pit depth (mm)	100
Headroom (mm)	2500
Maximum car entrances	2
Complies with	Machinery Directive 2006/42/EC



Recommended

Private residences

uses

KLEEMANN LIVE

KL PC



Description & features

Acknowledging the importance of space availability, KLEEMANN introduces Maison100 E, with 100mm minimum pit depth and 2500mm headroom required. Available with semi-automatic or automatic doors, Maison100 E can be also provided with an aluminum shaft construction where a masonry shaft is not available.


Premium Design

Cabin's special design en ease of installation while RGB colours' lighting cre outstanding ambience.

Plug n' play solution

Prewired shaft wiring and singlephase power supply.





Fast and easy installation

ensures le the eates an	Smart and compact design for installation in just 3 days.
•	
	Low noise levels

d single- Innovative electric drive (VVVF controlled) guarantees remarkably low noise levels in and out of the cabin.



Homelift Maison100 H

Safety and style with this value for money hydraulic home lift solution, with minimum space requirements

Type of lift > Hydraulic



Technical specifications

Model	Maison100 H
Rated load (Kg)	Up to 385
Max travel (m)	12
Max number of stops	5
Max speed (m/s)	0,15
Pit depth (mm)	100
Headroom (mm)	2400
Maximum car entrances	2
Complies with	Machinery Directive 2006/42/EC

Extra features & upgrades

Recommended

Private residences

uses

KLEEMANN LIVE

PORTAL



Description & features

Ideal for comfort and ease, Maison100 H, is designed and manufactured according to Machinery Directive 2006/42/EC and meets any need for transportation and mobility. A value for money solution that provides access inside or outside a multi-storey private residence and guarantees safety and style.

Value for money

Its very low energy cons (lower than a kitchen ov conjunction with its cab makes Maison100 H the value for money choice. 100mm minimum pit de 2400mm headroom reg is perfectly suitable for k with or without concret and with shaft pit and h limitations.

Plug n' play solution

Prewired shaft wiring an phase power supply.





KLEEMANN



Optimum use of space

sumption ven) in oin design, e ideal With lepth and quired, it buildings te shaft neadroom	The pit and headroom requirements are amongst the most competitive in the market for enclosed cabin platform lifts. Maison100 H for Home Solutions offers optimum space efficiency by providing the opportunity of installing larger car in a standard shaft.
	Premium ride quality
nd single-	Maison100 H offers a premium ride quality, with the new controller Genius20, with tape head system for precise floor levelling and a 2-speed hydraulic valve.



Homelift Maison200 H

A hydraulic homelift solution that offers a wide range of design options for a personalized experience

Type of lift > Hydraulic



Technical specifications

Model	Maison200 H
Rated load (Kg)	Up to 630
Max travel (m)	12
Max number of stops	б
Max speed (m/s)	0,15* - 0,3**
Pit depth (mm)	100* - 150**
Headroom (mm)	2450* - 2600**
Maximum car entrances	2
Power supply	Single phase or three phase
Complies with	* Machinery Directive 2006/42/EC ** AS1735.18

Extra features & upgrades

Recommended

Private residences

uses

KLEEMANN LIVE

PORTAL



Description & features

> Maison200 H is a hydraulic solution that offers an efficient use of space and can be easily adapted to any architectural need and design, even for special and challenging projects. Elegant and convenient allows the perfect fitting in any building, existing or new. Maison200 H guarantees outstanding ride quality and a wide selection of design options and finishes to meet your aesthetic needs.

Efficient use of space

Maison200 H maximizes efficient use of space. Ev the dimensions of the sh remain the same, Maisor can accommodate a larg maximizing the usable s

Premium ride quality

Maison200 H features p construction quality, low levels and minimal vibra This ensures a smooth a comfortable ride for page enhancing the overall e





KLEEMANN



s the
en though
naft
n200 H
ger car,
space.

Customizable design options

Maison200 H offers a wide range of cabin types and interior materials. Whether you prefer a sleek and modern look or a more traditional aesthetic, Maison200 H can be tailored to suit your desired ambiance.

Aluminum shaft option

oremium	In situations where a concrete
w noise	shaft is not available or feasible,
rations.	the Maison200 H offers an
and	aluminum construction option.
ssengers, experience.	

Elevators Freight lifts Hydraulic

Freight Hydraulic

A powerful hydraulic solution for freight transportation up to 10.000kg

Type of lift > Hydraulic

Technical specifications

1	

Model	Hydraulic Freight
Rated load (Kg)	1050-10000
Suspension	1:1 , 2:1
Machine room	Yes
Max travel (m)	26
Max number of stops	9
Max speed (m/s)	0,5 (depending on the max load)
Min pit depth (mm)	1000
Min headroom (mm)	3450
Maximum car entrances	2
Complies with	Lifts Directive 2014/33/EU

Extra features & upgrades

Recommended

uses

Industrial

Car Lift

Hospital

Commercial

KLEEMANN LIVE



HYGIENE SOLUTIONS




Description & features

KLEEMANN hydraulic freight lifts combine maximum durability and high operating reliability. Their flexible design and manufacturing process provide them with the unique capability to be customized according to the building's requirements. They can handle any load up to 10.000kg which makes them the perfect solution for applications in industrial buildings, plants, warehouses, super markets etc.

Safety features

It is equipped with light curtains Equipped with heavy duty types to provide additional safety and of doors and sill tracks, cabin and overload detection. protective bumber rails for extra robustness.





Robust construction

Elevators Freight lifts Atlas Super Gigas

Freight **Atlas Super Gigas**

Robust and reliable traction solution for freight transportation up to 5.000kg, designed to fully exploit shaft space

Type of lift > Traction



Technical specifications

Model	Atlas Super Gigas
Rated load (Kg)	2500-5000
Suspension	4:1
Machine room	Machine Room-Less
Max travel (m)	45
Max number of stops	16
Max speed (m/s)	1
Min pit depth (mm)	1400
Min headroom (mm)	3900
Maximum car entrances	2
Complies with	Lifts Directive 2014/33/EU

Extra features & upgrades

Recommended

uses

Industrial

Car Lift

Hospital

Commercial

KLEEMANN LIVE



HYGIENE SOLUTIONS



Description & features

Atlas Super Gigas is the optimum solution for freight transportation of rated loads up to 5.000kg. Equipped with KLEEMANN's premium guality gearless motor and state-of-the-art inverter, it presents excellent performance, ride quality and a low energy consumption. Fully exploiting the shaft space, it features tailored cargo lift struts.


Safe door closing

Atlas Super Gigas is equ with light curtains to proadditional safety and pr when the car doors are

Outstanding ride quali

Premium quality and exceptional ride comfort are delivered by both a gearless motor and a state-ofthe-art inverter.





Spatial efficiency

closing. ty	rated loads up to 5.000kg. Stopping accuracy
iipped	Optimum space efficiency by
ovide	offering the option of a larger car
rotection	installation in a standard shaft for

Excellent stopping accuracy less than 2mm, while the ride quality exceeds all quality standards (based on ISO 18738).

Elevators Comparative technical chart

Comparative technical chart

	Passenger lifts					
Model	FlexyLIFT R	Atlas RPH R	Atlas Basic	Atlas Gigas R	HRS	
Туре	Hydraulic	Traction	Traction	Traction	Traction	
Rated Load (Kg)	180-1000	450-1050	375-1000	1150-2500	630-1275	1000-1600
Suspension	1:2	2:1	2:1	2:1	2:1	2:1
Machine Room	MR	MRL	MRL	MRL	MRL	MR
Max Travel (m)	25	40	65	45	150	150
Max Number of Stops	8	14	24	16	47	47
Max Speed (m/s)	0,74	1,0	1,6	1,6	2,5	4,0
Min Pit Depth (mm)	300	320	1100	1100	v=2,0 m/s 1800 v=2,5 m/s 1950	v=2,0 m/s 1800 v=2,5 m/s 1950 v=3,0 m/s 1950 v=4,0 m/s 3800
Min Headroom (mm)	2600	2600	3400	3800	v=2,0 m/s 4450 (630-1000kg) v=2,0 m/s 4500 (1275kg) v=2,5 m/s 4700 (630-800kg) v=2,5 m/s 4750 (1000-1275kg)	v=2,0 m/s 4140 v=2,5 m/s 4380 v=3,0 m/s 4470 v=4,0 m/s 4680
Maximum Car Entrances	3	3	2	2	2	2
Main standard	EN81-20 & EN81-21	EN81-20, EN81-21 & EN81-70	EN81-20	EN81-20	EN81-20	EN81-20
Complies with	Lifts Directive 2014/33/EU	Lifts Directive 2014/33/EU	Lifts Directive 2014/33/EU	Lifts Directive 2014/33/EU	Lifts Directive 2014/33/ EU	Lifts Directive 2014/33/EU
Recommended use	Residential	Residential, Commercial & Public	Residential, Commercial & Public	Commercial & Public, Industrial, Hotel, Hospital	Commercial & F	Public, Hotel

Homelifts				
Maison100 H	Maison100 E	Maison200 H		
Hydraulic	Electric	Hydraulic		
Up to 400	Up to 385	Up to 630		
1:2	6:1	1:2		
MRL (with machinery cabinet)	MR	MRL		
12	12	12		
5	5	6		
0,15	0,15	0,15 - 0,3		
100	100	100*- 150		
2400	2500	2450 - 2600		
2	2	2		
Machinery Directive 2006/42/ EC	Machinery Directive 2006/42/ EC	* Machinery Directive 2006/- ** AS1735.18		
Private residence	Private residence	Private residence		

Freight lifts

Atlas Super Gigas Hydraulic Freight Hydraulic Traction 2500-5000 1050-10000 1:1 , 1:2 4:1 MR Machine Room-Less 24 45 9 16 0,74 1 1000 1400 3450 3900 2 2 EN81-20 EN81-20 5/42/EC Lifts Directive 2014/33/EU Lifts Directive 2014/33/EU Industrial Industrial Car Lift Car Lift Hospital Hospital Commercial Commercial






Products Modernization Solutions

Moderization Solutions

Modernization Solutions



Customized, reliable and compatible modernization solutions from full replacement or partial modernization, to components' replacement and special applications, that upgrade the user experience, effecting both the aesthetic and the mechanical part of elevators

Choose from a wide range of options and find those that match your requirements

- Machine (geared / gearless)
- Controller Genius20 (many options for cabinet)
- Sling (hydro / traction / counterweight)
- Cabin
- Doors
- Piston / power unit
- Shaft material (ropes, guide rails, encoder, oil cooler etc)









KLEEMANN MOD Kits provide you with solutions that meet all standards and safety requirements

Safety kit

Safety kit ensures the sa operation of the lift for passengers and technic (includes safety gear, ov governor, emergency a

Eco friendly kit

Eco friendly kit ensures ride quality and energy consumption for tractic (includes gearless mach lights, halogen free wiri hydraulic lifts (hydro VV

Aesthetics kit

Upgrade the design of y choosing from a wide ra of cabins, car and landin operating panels.

Hygiene kit

Choose from a complet of hygiene products (to or antibacterial buttons purifier, handrail steriliz to enhance the passeng health inside the lift and moving walk.



A3 kit

afe both cians verspeed auto dialer).	Unintended car movement can be prevented with the installation of A3 kits (includes overspeed governor, controller, machine gearless or geared with slow shaft brake, bidirectional safety gears).
excellent	EN81-21 kit
v on hine, LED ing) and /VF).	EN81-21 kit ensures that the existing lift obtains same safety level with a new one (includes, extra locking device, apron, base and maintenance beam low pit, split balustrade, controller).
your lift by ange ng	EN81-20 kit
	Upgrade the existing lift to recent European standards EN 81.20 to enhance safety for both passengers and lift technicians.
te series	EN81-72 kit
ouchless s, cabin air zers) gers' ad on the	Upgrade and modify the existing lifts under EN 81.72 European norm, for Fire Services use.






Products Accessibility solutions

FreeSTAIR with seat FreeSTAIR for wheelchair Accessibility solutions FreeSTAIR with seat

FreeSTAIR with seat

Systems with seat that can be custom fit to match any need and improve mobility both indoors and outdoors



Technical specifications

Model	KSL 200	A 130
Туре	Straight / Circular	Straight
Rated Load (kg)	130	127
Installation	Indoors / Outdoors	Indoors / Outdo
Max Travel- stops	4 Stops	2 Stops
Max speed (m/s)	0,1	0,1
Inclination (degrees)	0-70	27-55
Power Supply	Rechargable batteries	Rechargable batteries
Required staircase width (mm)	900	800
Motor Power	24V DC / 0,35Kw	24V DC / 0,25Kv

Extra features

& features

Description

KLEEMANN FreeSTAIR systems with seat, have been specially designed to help users of all ages who have difficulty climbing stairs. The systems are custom-made for each individual application, so they can be fitted to any indoor or outdoor staircase and in houses with both straight and curved staircases. They are available in a number of different models, providing solutions to meet the needs of any user.

Recommended uses



Indoor and outdoor staircases

	A180	Alpha
	Straight / Circular	Straight / Circular
	120	130 (optional 145)
doors	Indoors	Indoors / Outdoors
	4 Stops	4 Stops
	0,1	0,1
	0-58	0-52
	Rechargable batteries	Rechargable batteries
	900	900
Św	24V DC / 0,375Kw	24V DC / 0,5Kw

Indoor or outdoor installation
Designed for maximum safety and comfort
Remote control with 'hold to run' buttons
Variety of seat and metal structure colours

FreeSTAIR for wheelchair

Elevating systems for wheelchairs offering autonomy, safety and comfort to users, ideal for public and private spaces



Technical specifications

Model	T100 Platform	T80 Platform	Delta	Stratos	V6
Rated load (kg)	300	300	300	300	250 if the slope is more than 450
Installation	Indoors/Outdoors	Indoors/Outdoors	Indoors/Outdoors	Indoors/Outdoors	Indoors/Outdoors
Inclination (degrees)	15-45	0-60	0 - 52	45	0-50
Platform sizes (mm)	750*1000 or 800*1000	680*840, 700*900, 750*1000, 800*1000	700*750, 750*850, 800*900, 800*1000	700*750, 750*850, 800*900, 800*1000	750x600, 750x650, 750x700, 800x700 900x700, 1000x800 1000x900, 1250x800
Colours	RAL 7047 / 8022 / 9002 / 9007	RAL 7032 / 7047 / 8022 / 9002 / 9006 / 9007	Platform: RAL 7035 Rail: RAL 9007	Platform: RAL 9018 Rail: RAL 9005	Platform: RAL 9018 Rail: RAL 9005
Motor	24V DC / 0,42kW	24V DC / 0,42kW	24V DC / 0,5kW	24V DC / 0,5kW	24V DC / 1kW
Speed	0,08 m/sec	0,15 m/sec	0,12m/sec	0,12m/sec	0,10m/sec
Safety systems	Safety gear - "Hold to run" controls				
Complies with	Machinery Directive 2006/42/EC EC Type Examination Certificate	Machinery Directive 2006/42/EC EC Declaration of Conformity			

Extra features

Description & features

Recommended uses



 Indoor or outdoor installation • Variety of metal structure colours • Seat adjustable to platform (optional) • Remote control with 'hold to run' buttons • EC Type Examination Certificate

KLEEMANN FreeSTAIR for wheelchairs systems, have been designed to enable wheelchair users to move with autonomy, safety and comfort, offering access to any building where the installation or use of a conventional lift is not possible. They can be installed in both indoor and outdoor spaces, and mounted either on the wall or on the floor. An ideal solution for both public and private spaces.

Public and private spaces





Products Escalators & Moving Walks

Escalators

KEC Commercial KEH Heavy Duty


Moving Walks

KTC Commercial KTH Commercial KTW Heavy duty

Escalators & moving walks

Escalators & Moving Walks

Varied solutions with custom-made design that offer exceptional ride quality, safety and energy efficiency



Technical	
specifications	
	0



Product description

& features

Moving Walk Model

Working hours (per day) Capacity / hour (Theoretical value according to EN115-1:2017, Annex H) Inclination

Step Width (mm)

Horizontal movement (mm)

Operating Speed (m/s)	
Vertical rise (m)	
Motor type	
Installation	

KLEEMANN Escalators & Moving Walks are the ideal solution for installations in hotels, hospitals, public and commercial buildings. KLEEMANN offers unique, tailor-made design services for commercial or heavy-duty Escalators with a wide range of options and customized solutions for all projects.

Public and commercial buildings

Designed to ensure both high quality construction and exceptional ride comfort. Low noise levels and minimal vibrations provide a smooth and comfortable passenger experience that will meet even the strictest requirements.

Ease of installation and use, providing spatial efficiency and reliability.

Regeneration system to provide excellent ride quality while reducing energy usage by up to 60%. Many of the products' parts recyclable (steps, brush profile, glass panel clamps, etc).

Three sterilizer solutions for the Escalators' / Moving Walks' handrail, available to provide protection from bacteria and viruses.

Technical specifications



Escalator Model	KEC Commercial	KEH Heavy Duty
Working hours (per day)	16-20	20-24
Capacity / hour (Theoretical value according το EN115-1:2017, Annex H)	Up to 6000 passengers	Up to 7300 passengers
Inclination	30° / 35°	30° / 35°
Step Width (mm)	600 / 800 / 1000	600 / 800 / 1000
Operating Speed (m/s)	0,5	0,5 or 0,65
Vertical rise (m)	2-7,5	2-35
Motor type	AC1 or VVVF	AC1 or VVVF
Installation	Indoor, outdoor, marine	Indoor, outdoor, marine

Recommended uses	
Outstanding ride quality	
quanty	
Ease of installation	


Eco-friendly

Hygiene line



KTC Commercial	KTH Commercial	KTW Heavy duty	
16-20	16-20	20-24	
Up to 6000 passengers	Up to 6000 passengers	Up to 6000 passengers	
10° / 11° / 12°	10° / 11° / 12°	0°- 6° / 10° / 11° / 12°	
800 / 1000	800 / 1000	1000 / 1200 / 1400	
400 (at top)	400 (at both landings)		
0,5	0,5	0,5	
2-8	2-8	0-8 (max length 120)	
AC1 or VVVF	AC1 or VVVF	AC1 or VVVF	
Indoor, semi- outdoor, outdoor	Indoor, semi- outdoor, outdoor	Indoor, semi- outdoor, outdoor	

- Ultraviolet Lamp
- Sterile Touch
- UV Sterilizer



Car lifting systems KTS 2200 KTS 3000

Hydraulic Parking Systems UN_1+1 Hydro Park 1127 Hydro Park 1123 Hydro Park TPTP-2



Products Parking Systems

Vehicle Turntable Vehicle Turntable

Independent Parking systems UN_LPS UN_OPS Starke 2127 Starke 2227

Scissor lift platforms Single Scissor Platform Double Scissor Platform

Puzzle parking systems BDP-2 Parking Systems

Car Lifting Systems

Ideal solution for vertical transportation of vehicles where cement ramps or car lifts are not applicable



Scissor Lift Platforms

A simple and convenient solution to optimize parking space in areas with limited or restricted entrance

Technical specifications

Model	KTS 2200 KTS 3000		
Rated Load (kg)	2200	3000	
Max Travel (mm)	12000	10000	
Stops	max 4	max 4	
Platform (mm)	max 2440*5500	max 2440*5500	
Speed (m/sec)	max 0,15	max 0,15	
Pit depth (mm)	min 400	min 500	
Headroom (mm)	min 2700	min 2700	
Motor	9,5Kw/380V/50Hz 12Kw/380V/50Hz		
Pistons	KZAC 100*5 / KZAC 110*7,5 KZAC 110*7,5		
Tank	KLEEMANN T150	KLEEMANN T250	
Controller	KTS GL-1 KTS GL-1		
Block of valves	Blain KV1S EV100 3/4		
Landing doors	Roller shutters with 3-phase external motor		
Complies with	Machinery Directive 2006/42/EC - EC type examination certificate		

Technical	
specifications	

Model	Single Scissor Platform	Double Scissor Platform	
Rated Load (kg)	3000	3000	
Max Travel	4000	7400	
Stops	2	3	
Platform (mm)	max 3000*6000	max 3000*6000	
Speed (m/sec)	0,05 - 0,08	0,05 - 0,08	
Pit depth (mm)	min 500	min 600	
Headroom (mm)	min 2500 min 2500		
Motor	5,5Hp/380V/50Hz	7,5Hp/380V/50Hz	
Piston-Cylinder	2 items Φ70-Φ120X135 2 items Φ80-Φ140X160		
Landing doors	Roller shutters with single-phase motor		
Complies with	Machinery Directive 2006/42/EC - EC type examination certificate		

Description & features

KTS Car Lifting System is designed for the vertical transportation of vehicles between two or more levels. In buildings where the construction of a cement ramp or a car lift is not possible, the KTS System provides the ideal solution for vertical transportation of up to a maximum of 12 meters.

Description & features



Single and double Scissor Lift Platforms provide a simple and convenient way to facilitate and optimize parking space. Suitable for underground, lower and upper parking levels, they are an ideal choice for parking areas where entrances and exits are restricted or limited. They offer up to 3 stops, an array of safety features and the choice of either 4000mm or 7400mm vertical travel.





Parking Systems

Vehicle Turntable

Economical and convenient parking solutions that make the best use of available space for effortless parking



Parking Systems

Hydraulic Parking Systems

Customizable solutions that provide additional independent space where multiple parking lots are required

Technical specifications

Model Min Pit Depth (mm) Pit diameter (mm) Motor type Rotation (degrees)

Vehicle Turntable
250
4600
Hydraulic motor with slew ring drive
360

Technical specifications

ModelUN_1+1Rated Load (kg)2500Lifting height2000mmUsable platform width2060mmOperationButton Hold to RunPower Unit-Lifting/lowing time-FinishingPowder coating/
galvanized

Product description & features

Vehicle Turntables facilitate parking in spaces that pose limitations such as a single entrance and exit. They offer an economical and convenient parking solution, maximizing utilization of available space, generating smooth traffic flow and enabling effortless parking. Featuring 360° rotation, driven by a hydraulic motor with slew ring drive, a 4600mm pit diameter and 250mm minimum pit depth, they can be customized to accommodate any specific platform and dimension requirements.

Description & features

Installation of Hydraulic Car Parking Systems provides additional independent parking spaces for 2 vehicles. These systems can be customized to fix existing spaces and are an ideal solution when multiple parking spaces are required in new or existing buildings.







Hydro Park 1127	Hydro Park 1123	Hydro Park TPTP-2
2700	2300	2000
2100mm	2100mm	1600mm
2100mm	2100mm	2100mm
Key switch	Key switch	Key switch
2,2Kw hydraulic power pump	2,2Kw hydraulic power pump	2,2Kw hydraulic power pump
<55s	<55s	<35s
Powder coating	Powder coating	Powder coating

Parking **Systems**

Puzzle Parking Systems

Parking systems that provide a range of multi-storey solutions that enable independent parking of multiple cars



Parking **Systems**

Independent **Parking Systems**

Independent parking lift platforms that allow the parking of a vehicle without moving other cars

Technical specifications

Model	BDP-2
Levels	2
Available car dimensions	1850*5070*1550-2050mm
Rated Load (kg)	2000-2500kg
Drive mode	Hydraulic cylinder + wipe ropes
Operation	Code, Card, Manual
Control	PLC centralized control system
Elevating speed	8-12 m/min
Sliding speed	7,5m/min
Power Supply	3phase/380V/50-60Hz
Finishing	Powder coating

Technical

specifications

Model	UN_LPS	UN_OPS	Starke 2127	Starke 2227	
Vehicles parked per unit	4	2	2	4	
Rated capacity (kg) / Per Platform	2500	2500	2700	2700	
Available car length (mm)	5000	5000	5000	5000	
Available car width (mm)	2050	2050	2050	2050	
Available car height (mm)	1700	1700	1700	1700	
Waving plate	Galvanized steel sheet	Galvanized steel sheet	Galvanized steel sheet	Galvanized steel sheet	
Drive mode	Hydraulic cylinder and chains	Hydraulic cylinder and chains	Hydraulic cylinder and chains	Hydraulic cylinder and chains	
Operation	Button Hold to Run	Button Hold to Run	Keyswitch	Keyswitch	
Lifting speed	30s	30s	<55s	<55s	
Descending speed	25s	25s	<55s	<55s	
Finishing	Ral 7040 (can be galvanized for outside use)	Ral 7040 (can be galvanized for outside use)	Powder coating	Powder coating	

Description & features




The selected parking space is moved to the desired position by means of an automatic control system and the parking spaces can be shifted vertically or horizontally. The systems integrate the latest advancements in stacking and sliding technology, maximizing the number of vehicles that can be accommodated in the available space.

Description & features



These independent parking lift platforms for 2 or 4 cars which are suitable for both commercial and residential purposes, allow the parking of a vehicle without moving any other car. The structure should be placed in a pit with certain dimensions and reinforced by fixing posts to walls.








Products Marine Solutions

Machine Roomless Solution (MRL) Machine Room Solution Marine Solutions

Marine Solutions

A wide range of expert solutions for vertical transportation of passengers and goods in private or commercial vessels



Standard Dimensions Crew Elevator (MR-Machine room Beside Trunk)

Load Capacity (Persons)	Speed	Entrance Dimensions (mm)	Internal Car Dimensions (mm)	Trunk Dimensions (mm) ¹	Pit Depth	Headroom Height ²
		EWxEH	CWxCD	SWxSD	_	
300 kg (4 persons)	1m/s	800x2000	950x1100	1800x1800	1200	4500
500 kg (6 persons)	1m/s	800x2000	950x1300	1800x1850	1200	4500
750 kg (10 persons)	1m/s	800x2000	1200x1500	1800x2100	1200	4500

Notes

1. Trunk dimensions do not iclude the deck cutting structure, stiffener, insulation etc (Clear trunk dimensions).

2. The Headroom height dimensions apply for Internal Cabin height 2100mm.

3. Please contact KLEEMANN for any other specifications

Description & features

KLEEMANN Marine solutions are ideal for vertical transportation of passengers and goods in private and commercial cruise ships, luxury yachts, ferries, cargo ships and offshore rigs. KLEEMANN offers tailored design options and flexible installation solutions that improve the operational functions and the overall environment of any vessel. Whether durable and reliable installations are required for the movement of heavy-duty freight in harsh environments, or the integration of sheer luxury and dependable functionality, KLEEMANN designs and creates the ideal solutions. Certified according to IACS requirements.

Technical specifications

Standard Dimensions Passenger Elevator (MR/MRL)

Load Capacity (Persons)	Speed	Entrance Dimensions (mm)	Internal Car Dimensions (mm)	Trunk Dimensions (mm) ¹	Pit Depth	Headroom Height ²
		EWxEH	CWxCD	SWxSD		
630 kg (8 persons)	1m/s	900x2000	1100x1400	1800x2000	950	3900
	1.6m/s				1250	4050
750 kg (10 persons)	1m/s	900x2000	1200x1500	1900x2050	950	3900
	1.6m/s				1250	4050
1000 kg (14 persons)	1m/s	900x2000	1100x2100	1800x2500	950	3900
	1.6m/s				1250	4050
1600 kg (22 persons)	1m/s	1200x2000	1500x2300	2400x2700	1200	3900
	1.6m/s				1300	4050
2000 kg (27 persons)	1m/s	1200x2000	1600x2500	2500x2900	1200	3900
	1.6m/s				1300	4050
2500 kg (33 persons)	1m/s	1200x2000	1800x2700	2700x3100	1200	3900
	1.6m/s				1300	4050



Scan & Discover more about KLEEMANN





www.kleemannlifts.com

KLEEMANN has a worldwide presence in over 100 countries with local presence in key market points. It stands out for its product range, high quality and control standards, world class design and for its expertise in custom made solutions. Constantly monitoring the global market trends, the company continues to innovate, grow, develop, and improve while consistently remaining in tune with its global character.



KLEEMANN HELLAS SA Kilkis Industrial Area P.O. BOX 25, Kilkis, 611 00 - Greece G.E.M.I. 14486435000

While every effort has been made to ensure the accuracy of the information in this brochure, KLEEMANN assumes no responsibility for omissions or typographical errors.

Copyright © KLEEMANN 2024