



VILLA ELEVATOR

家用别墅电梯

山东亿斯特电梯有限公司
SHANDONG YSTE ELEVATOR CO.,LTD

地址：山东省济南市回河滨河工业园
Add: Binhe Industrial Zone, Huhe, Jinan, Shandong, China
电话 (Tel): 0531-84529999
传真 (Fax): 0531-84529999

本书为一般信息类出版物，我们保留随时更改产品设计和说明的权利。

本书的任何字句，无论其字面意思或含义，对于任何产品及产品的描述均无意义。读者任何对销售商条款的表述与叙述均不承担任何责任。

由于印刷工艺的限制，实际加工的颜色可能与本图样有不同之处；图纸造型可根据实际材料和色样决定。

It is an ordinary information publication. We have the right to alter the product design and description at any time.

If there is any discrepancy between the wordings in this book and the actual products or their descriptions, no responsibility will be assumed.

Due to the limitation of printing technology, if there is any slight difference between the actually machining color and that from the pamphlet, please take the

actual material and color sample as the criterion.

2020年09月份印刷

Elegant and
graceful quality life

品质生活·优雅尊享



品牌形象代言人

邵峰

安全品质，承载幸福。我是演员邵峰，
很高兴成为山东亿斯特电梯有限公司品牌形象大使。精选优质配件，
严控生产工艺，家用电梯，我只选亿美斯特。专业定制，匠心制作，给您一辈子的安全守候。

赋予别墅生
活更多价值

GREATE MORE
VALUE ON
VILLA LIFE

关于我们

ABOUT US



山东亿斯特电梯公司位于省级重点经济开发区——济阳区回河街道滨河工业园区内，毗邻哺育中华民族生生不息的黄河，占地 88 亩，是一家专注家用别墅电梯制造、研发、营销、安装、维保于一体的专业化的电梯经营企业。公司主要生产液压式电梯、曳引式电梯、观光梯、货梯等梯种，产品销往全国各地及 50 多个国家和地区，是中国北方领先的液压式电梯制造工业园。公司成立以来，始终以安全和舒适为己任，致力于为客户提供更安全、更高效、更先进的家用别墅电梯产品。

作为山东亚鑫华集团旗下的子公司，拥有集团公司雄厚资金与技术力量的支持。先进的生产工艺，为产品构建起一流的制造地。公司家用别墅电梯涵盖液压式、曳引式两大种类，可以最大限度的满足不同客户的不同需求。同时公司严格执行 ISO9001 质量管理体系及 ISO4001 环境管理体系，不断提升企业的自主研发能力，为实现自身高质量成长提供强有力的保障。

亿斯特电梯始终秉持“以人为本”的生产理念，以体现客户的个性化需求为追求，坚持不懈为客户提供更加优质的产品和服务。我公司凭借雄厚的技术力量，卓越的产品品质和强劲的营销开拓，在行业中的技术和市场两大领域攀登一个又一个的高峰，目前，公司主营的液压式家用别墅电梯线上电商平台全国销量领先，产品广受消费者好评！真心期待与您精诚合作、共展宏图、实现共赢。

Shandong Yeste Elevator Company is located in Binhe Industrial Park, Huihe Street, Jiayang District, a key provincial economic development zone. It covers an area of 88 acres and is adjacent to the Yellow River that nurtures the Chinese nation. It is a professional elevator company focusing on villa elevator manufacturing, research and development, marketing, installation and maintenance. The company mainly produces hydraulic elevators, traction elevators, panoramic elevators, cargo elevators, etc. Products are sold throughout the country as well as more than 50 countries and regions. In northern China, it is a leading hydraulic elevator manufacture industrial park.

As a subsidiary of Shandong Yaxinhu Group, the company has its strong financial and technical support. With its advanced production technology, the company builds a first-class manufacturing base. The company's villa elevators include the two popular types, hydraulic and traction, which can meet the various demands of customers to the greatest extent. The company strictly implements the ISO9001 Quality Management System and ISO4001 Environmental Management System, while continuously improving the independent research and development capabilities to ensure its own high-quality growth.

Yeste Elevator always adheres to the human-oriented manufacture philosophy. The company pursues to reflect the individual needs of customers and insists on providing customers with products and services of higher quality. With strong technical force, excellent quality and strong marketing development, the company has climbed one peak after another in the two major areas of industry, technology and market. At present, the company's main product, the hydraulic home villa elevator, is leading the national sales on the online e-commerce platform. And the products are widely acknowledged by consumers! We sincerely look forward to cooperating with you to achieve a win-win situation.



智能科技

INTELLIGENT TECHNOLOGY

一键拨号

亿美斯特家用别墅电梯内置一键拨号功能，根据您的设置，启动一键拨号智能模块，能够按照您的设置依次拨打手机。

A key dial

YST villa elevator equips with a key dial function, according to your settings, start a key dial smart mode, will dial the calls one by one based on your settings.



永不下坠功能

亿美斯特从安全保障出发使用当今电梯业科技含量最好的有安全钳、限速器保障每一台别墅梯安全运行。

Never drop function

From the safety guarantee, YST uses the best security pliers and limiters in the current elevator industry to ensure the safe operation of each villa ladder.



停电应急疏散装置

在电梯突然断电的情况下，ARD 停电应急装置延时数秒后启动供电到控制柜，电梯就近平层后开门放人。

Automatic Rescuer Device

In the case of elevator suddenly interrupt situation, ARD Power failure emergency device will supply power to control cabinet after a few seconds that elevator could land in near floor and open the door automatically.



远程监控服务体系

通过物联网技术，亿美斯特家用别墅电梯实现了监控平台、客服团队、维保团队的三方高效联动，形成电梯安全的坚固屏障，完美实现全方位定制化的高端安全服务。

Remote monitoring service system

By using the internet of things technology, YST villa elevator realizes the high efficient linkage among monitoring platform, customer service team, maintenance team, build up the strong elevator safety barrier, perfectly realizes the full-customized high end safety service.



人脸识别系统

AI 人脸识别电梯显示器，集活体检测、人脸跟踪识别等多功能于一身，电梯按钮零接触，即可完成身份识别和自动呼梯操作，安全又高效。

Face Recognition System

The AI face recognition elevator display combines the human detection, the face tracking recognition and other functions. It has realized the identification and automatic call operation without contact with the elevator button, which is safe and efficient.



指纹识别

正确注册指纹后可授权相应权限楼层，指纹有效同时可设置密码乘梯；有效指纹或密码验证后能自动登记对应权限楼层，实现环保，健康，安全。

Fingerprint recognition

After correctly registering the fingerprint, the corresponding permission floor can be authorized. The fingerprint can be set at the same time to set the password to take the ladder. After the valid fingerprint or password is verified, the corresponding permission floor can be automatically registered to achieve environmental protection, health and safety.



无接触红外感应按钮

红外感应按钮采用红外线来实现感应的作用，用户不与按钮接触可触发开关，此按钮应用于医院等有抗菌要求的环境。

Non-Touch Infrared Induction Button

The button uses infrared ray to realize induction. Passengers can trigger the switch without touching the button. It is applied in hospitals and other environment with antibacterial requirements.



智能语音呼叫系统

乘客进入电梯，通过语音唤醒呼叫系统，语音输入所要到达的楼层，控制系统立即做出响应并执行指令。

Intelligent voice call system

The passenger enters the elevator, wakes up the calling system by voice, and enters the floor to be reached by voice. The control system immediately responds and executes the instructions.




定制化
设计

CUSTOMIZED DESIGN

亿美斯特强大的结构设计能力和丰富的安装经验总能为您家的空间结构提供合理的安装布置方案，即使很小的空间也能享受亿美斯特家用别墅电梯带来的高尚生活。

YST's powerful structure design ability and abundant installation experience always provide reasonable installation layout for your home's space structure, and even a very small space can enjoy the noble lift of villa.



多种开门方式，选择不同品位生活

亿美斯特家用别墅电梯，采用多种开门方式供用户选择，同时可根据用户的需求和使用情况专门设计。

Alternative door styles, different choice

Varies of kinds door open style provided for you, you can choose any one of them as per your needs for your building requirement.





铝合金
井架

ALUMINUM ALLOY DERRICK

独立的框架玻璃设计，不额外增加建筑成本，透光性好，与室内装潢融为一体；
安装位置可自选，耐腐蚀，寿命周期长，选用工业级铝合金，玻璃采用安全夹胶玻璃。

Independent frame glass design without additional construction costs. Translucent and integrated into the interior. Installation location optional, corrosion resistant long life cycle. Selection of industrial grade aluminum alloy, glass with safety laminated glass.



铝合金切面 A
Aluminum alloy section A



铝合金切面 B
Aluminum alloy section B




铝合金切面 C
Aluminum alloy section C



铝合金切面 D
Aluminum alloy section D



铝合金井架
Aluminum alloy frame



黑色
Black



红色木纹
Red Wood grain




玫瑰金
Rose gold



香槟金
Champagne gold



瓷金色
Porcelain gold



白色
White

STEEL STRUCTURE DERRICK

性价比高，外包板后期由装修单位封装与设计风格一致，安装位置可选，表面喷涂防锈处理，耐腐蚀。

Cost-effective, packaging and design style of the outer board by the decoration unit is the same in the later stage, installation location can be optional, surface spraying rust-proof treatment, corrosion resistance.



折弯切面
Steel structure section



方管
square tube



白色
White



黑色
Black



炫彩银
Dazzle colour silver



钢结构井架
Steel structure frame



液压式
家用别墅电梯

HYDRAULIC DRIVE VILLA ELEVATOR

亿美斯特液压驱动家用别墅电梯采用高级油缸、泵站、控制阀，其高精度比例阀能实现无极调速，使电梯运行平稳。


YST hydraulic drive villa elevator applies High Class, pump station, control valve from Italy. Its precision proportional valve can fulfill step-less speed regulation with smooth elevator operation.

产品特点

1. 无需在井道的上方设立高要求和高造价的机房，可与屋项平齐。
2. 井道利用率高：液压电梯无需设置对重装置，可提高井道面积利用率。
3. 井道结构强度要求低；液压电梯轿厢自重及载荷等垂直负荷，均通过液压缸全部作用与井道地基上，对井道的墙及顶部的建筑性能要求低。

Features

1. It does not require any high requirements and high cost machine room in the upper part of the well. It can be as high as the roof.
2. High utilization rate of the well: Counterweight is not required for hydraulic elevator. It enhances the utilization rate of the well area.
3. Low intensity requirements of the well structure. The vertical loads such as car dead-weight, load of hydraulic elevator etc. act upon the well ground through the hydraulic cylinder. It has low requirements towards the building performance of the well wall & top.





曳引钢带式
家用别墅电梯

STEEL BELT VILLA ELEVATOR

Model: JL/2-4HP-F14-TSB

新型的钢带曳引式家用别墅电梯产品，轿壁装饰为三面镶嵌式，中间装饰可拆卸，可采用不同材质，互换性更强，可满足客户的多样化、个性化需求。

New steel-band traction type home elevator gets 3-side inlaid type for the car. Center decoration can be removed. It applies different materials with the stronger interchangeability. It can satisfy the clients' diverse and individual requirements.



与传统钢丝绳相比：

1. 聚氨酯材料层，无需润滑
2. 寿命是传统钢丝绳 2-3 倍
3. 更易弯曲，增大与驱动轮接触面积，更节能，更高效

Compared with the traditional wire rope:

- 1.Polyurethane (PU) material layer without lubrication.
2. Its life is two or three times higher than that of traditional wire rope.
3. It is more bendable. It increases the contact area with drive wheel. It is more effective and energy-saving.





曳引钢丝绳式
家用别墅电梯

TRACTION TYPE VILLA ELEVATOR

Model: JL/3-4HP-F14-TSB



曳引式家用别墅电梯的特点

- 无需传统机房：节省建筑成本
- 可根据房屋结构的开门需求采用背包架式和龙门架式电梯结构
- VVF 驱动技术：家用别墅电梯专用微机板控制，平稳舒适
- 专用曳引机机架：固定于导轨，建筑物可不承受力
- 主机：可采用 220V 单相电源，普通家用电，无需另外申请工业电源
- 自动专用门机：变频节能，安全可靠
- UPS（后备电源）在停电时可以应急放人
- 运行时总额定功率 1.5KW（其中驱动系统 1.1KW）

Characteristics of a traction type home elevator

- It does not need machine room. It saves the building cost.
- It applies counter level style and gantry style elevator structure according to door opening requirements of the housing structure.
- VVVF drive technology: Home elevator dedicated micro-computer control is smooth and comfortable.
- Special traction machine base frame is fixed on guiderail. The building does not bear any load.
- Machine: It can apply 220V single-phase power supply of ordinary family use, it does not need to apply for industrial power supply.
- Automatic door operator. Variable frequency energy-saving, safe and reliable
- UPS (backup) can release the passengers during power failure.
- In the operation, total rated power is 1.5KW including 1.1KW for drive system.





强驱式
家用别墅电梯


STRONG DRIVE VILLA ELEVATOR

Model: JL/4-4HP-F14-TSB

采用先进的电梯强制式驱动和数字化控制变频调整技术，运行平稳。

无需对重，无齿轮箱，体积小，安装简便，完全可以实现无机房设计，相比较传统曳引梯，节省成本，更节约空间。

Applies the advanced elevator forced-drive and digital control variable frequency speed governor technology with smooth running. It needs no counterweight, no gear-box with small bulk, simple and convenient installation. It fully fulfills machine room-less. Compared with traction type elevator, it saves the cost and space.





平台式
家用别墅电梯

PLATFORM STYLE VILLA ELEVATOR

Model: JL/5-4HP-F14-TSB

灵活多变的平台家用别墅电梯提供白色、透明大玻璃平开门与带有LED灯带的装饰镜、透明大玻璃自动双开门、观光玻璃井道以及多种RAL电梯颜色，适合安装在高档别墅、高层复式公寓等家用环境。

Home elevator with flexible and changeable platform offers white and transparent glass swing door, decoration mirror with LED light, transparent glass automatic double door openings, observation glass well, over kinds of RAL elevator colors. It is applicable for home environment installation such as high grade villa, light-rise duplex apartment etc.



注：选配项中，整部电梯颜色可有多种选择。井道壁和电梯门均可搭配不同颜色。

Note: Multiple color options are available for elevators. Well wall and elevator door can match with different colors.



随处可装

小巧灵活，极易融入任何建筑，提供一系列配件以打造适合家居环境的私人顶级电梯，具有极高安全性与安装便捷性。在楼层天花板极低的情况下，可提供 1.1 米的半高门，最大程度利用顶层空间。

Convenient installation at anywhere

Small and flexible space can easily merge with any buildings. It supplies a series of parts to create a top-class private elevator that suits the household environments. It features as extremely high safety and convenient installation. Under the condition of very low floor ceiling, it can offer 1.1m half-height door, it thus utilizes the top-floor space to maximum extent.

使用和维护成本低

与传统电梯相比，安装成本与维护保养成本较低，除标配铝合金井道和门之外，还可选井道和各种门的颜色。

Low cost in use and maintenance

Compared with traditional elevator, it gets low installation / maintenance cost. Apart from standard aluminium alloy well and door, optional well and various doors are available for your free selections.

安装简便

无需独立机房，产品自带一体化井道，安装简便，两天即可完成施工。可直接安装在已完成装修的地板上而不破坏现有装修。

Simple & Convenient installation

It needs no independent machine room. It has integrated well with simple and convenient installation. Construction can be finished within 2 days. It can be directly installed in the decorated floor without destroying the current decoration.



Car decoration and design

轿厢装饰



(可选材质: 玫瑰金不锈钢、钛金)



YST-V101 (标配)

吊顶: 发纹不锈钢 + 筒灯

前壁: 发纹不锈钢

侧壁: 发纹不锈钢

后壁: 发纹不锈钢

地板: PVC

Ceiling: Hairline stainless steel + downlight
Front wall: Hairline stainless steel
Side wall: Hairline stainless steel
Rear wall: Hairline stainless steel
Floor: PVC



轿厢 360° 全景展示

Car decoration and design

轿厢装饰



(可选材质: 发纹不锈钢)



YST-V102 (标配)

吊顶: 发纹不锈钢镀玫瑰金 + 亚克力

侧壁: 发纹不锈钢镀玫瑰金

后壁: 镜面不锈钢镀玫瑰金 + 镶刻

地板: PVC

Ceiling: Hairline stainless steel rose gold + acrylic
Side wall: Hairline stainless steel rose gold
Rear wall: Mirror stainless steel rose gold + etching
Floor: PVC



轿厢 360° 全景展示



Car decoration and design

轿厢装饰



(可选材质: 玫瑰金不锈钢)



YST-V103 (标配)

吊顶: 发纹不锈钢 + 亚克力 + 射灯
侧壁: 发纹不锈钢
后壁: 镜面不锈钢 + 镭刻
地板: PVC

Ceiling: Hairline stainless steel + acrylic + downlight
Side wall: Hairline stainless steel
Rear wall: Mirror stainless steel + etching
Floor: PVC



轿厢 360° 全景展示

Car decoration and design

轿厢装饰



(可选材质: 发纹不锈钢、玫瑰金)



YST-V104 (标配)

吊顶: 钛金镜面不锈钢 + 亚克力 + 射灯
侧壁: 钛金不锈钢
后壁: 钛金镜面不锈钢 + 镊刻
地板: PVC

Ceiling: Titanium gold Mirror stainless steel + acrylic + downlight
Side wall: Titanium gold stainless steel
Rear wall: Titanium gold mirror stainless steel + etching
Floor: PVC



轿厢 360° 全景展示



Car decoration and design

轿厢装饰



(可选材质: 发纹不锈钢、钛金)



YST-V105 (标配)

吊顶: 玫瑰金镜面不锈钢 + 亚克力 + 筒灯
侧壁: 观光玻璃
后壁: 玫瑰金镜面不锈钢 + 镂刻
地板: PVC

Ceiling: Rose gold mirror stainless steel + acrylic + downlight
Side wall: Sightseeing glass
Rear wall: Rose gold mirror stainless steel + etching
Floor: PVC



轿厢 360° 全景展示

Car decoration and design

轿厢装饰



(可选材质: 玫瑰金不锈钢)



YST-V106 (选配)

吊顶: 镜面不锈钢 + 亚克力 + 筒灯
前壁: 发纹不锈钢
侧壁: 发纹不锈钢 + 镜面不锈钢蚀刻
后壁: 发纹不锈钢 + 镜面不锈钢蚀刻
地板: PVC

Ceiling: Mirror stainless steel + acrylic + downlight
Front wall: Hairline gold stainless steel
Side wall: Hairline gold stainless steel + mirror stainless steel etching
Rear wall: Hairline gold stainless steel + mirror stainless steel etching
Floor: PVC



轿厢 360° 全景展示



Car decoration and design

轿厢装饰



(可选材质: 发纹不锈钢、玫瑰金)



YST-V107 (选配)

吊顶: 钛金镜面不锈钢 + 亚克力 + 简灯
前壁: 钛金不锈钢
侧壁: 钛金不锈钢 + 钛金镜面不锈钢蚀刻
后壁: 钛金不锈钢 + 钛金镜面不锈钢蚀刻
地板: PVC

Ceiling: Titanium gold mirror stainless steel +
acrylic + downlight
Front wall: Titanium gold stainless steel
Side wall: Titanium gold stainless steel +
Titanium gold mirror stainless steel etching
Rear wall: Titanium gold stainless steel +
Titanium gold mirror stainless steel etching
Floor: PVC



轿厢 360° 全景展示

Car decoration and design

轿厢装饰



(可选材质: 发纹不锈钢、玫瑰金)



YST-V108 (选配)

装饰顶: 镜面不锈钢、LED 筒灯
侧壁: 喷砂钛金不锈钢、夹胶安全玻璃
后壁: 喷砂钛金不锈钢、夹胶安全玻璃
地板: PVC (选配大理石)
轿门: 喷砂钛金不锈钢

Decorative top: Mirror Stainless Steel, LED Tube Lamp
Side wall: Sandblasted titanium stainless steel,
glued safety glass
Rear wall: Sandblasted titanium stainless steel,
glued safety glass
Floor: PVC (optional marble)
Car door: Sandblasted titanium stainless steel



轿厢 360° 全景展示



Car decoration and design

轿厢装饰



YST-V109 (选配)

吊顶: 木质造型框架, LED筒灯
前壁: 钛金镜面不锈钢
侧壁: 白色木饰面, 钛金镜面不锈钢, 欧式花纹
后壁: 白色木饰面, 钛金镜面不锈钢, 欧式花纹
轿门: 钛金镜面不锈钢
地板: 标配 PVC (选配大理石)
Ceiling: Wood model frame + LED lamp
Front wall: Titanium mirror stainless steel
Side wall: White wood finish+ titanium mirror stainless steel+ european-style decorative pattern
Rear wall:White wood finish+ titanium mirror stainless steel+ european-style decorative pattern
Car door: Titanium mirror stainless steel
Floor: Standard PVC (Optional marble)



轿厢 360° 全景展示

图片系电脑绘制, 可能与实际图有不同。

The pictures are plotted by computer and are likely somewhat different from the actual products.

Car decoration and design

轿厢装饰



YST-V110 (选配)

吊顶: 白色烤漆钢板、亚克力透光板, LED筒灯
轿壁: 白色烤漆钢板, 水墨画, 木饰面,
隐藏灯带, 木质线条
地板: PVC (选配大理石)

Ceiling: White painted steel plate, acrylic transparent plate, LED downlight
Car wall: White painted steel plate, ink painting decoration, wood veneer, hidden light belt, wood line
Floor: PVC(optional marble)



轿厢 360° 全景展示

图片系电脑绘制, 可能与实际图有不同。

The pictures are plotted by computer and are likely somewhat different from the actual products.



人机界面

HUMAN-MACHINE INTERFACE

曳引呼叫盒

Tow Box



COP-01 标配 Standard




COP-02 选配 Optional



LOP-02A 选配 Optional




COP-03 选配 Optional



LOP-03A 选配 Optional



COP-04 选配 Optional



LOP-04 选配 Optional

液压呼叫盒

Hydraulic call box



COP-05 标配 Standard



LOP-05A 标配 Standard



LOP-05B 标配 Standard



LOP-05C 标配 Standard



COP-06 选配 Optional



LOP-06 选配 Optional






LOP-09 选配 Optional 触摸屏



LOP-08 选配 Optional 触摸屏

吊顶
(选配)

CEILING (OPTIONAL)

YST-D001
玫瑰金镜面不锈钢，亚克力，筒灯
Rose gold mirror stainless steel, acrylic, downlightYST-D002
发纹不锈钢镀玫瑰金，亚克力
Hairline stainless steel rose gold, acrylicYST-D003
钛金镜面不锈钢，亚克力，筒灯
Titanium gold mirror stainless steel, acrylic, downlightYST-D004
不锈钢框架，亚克力
Stainless steel frame, acrylicYST-D005
发纹不锈钢 + 亚克力 + LED 照明
Hairline stainless steel + acrylic + LED downlightYST-D006
发纹不锈钢 + 亚克力 + LED 照明
Hairline stainless steel + Acrylic + LED downlightYST-D007
不锈钢框架，亚克力
Stainless steel frame, acrylicYST-D008
不锈钢框架，亚克力，LED 筒灯
Stainless steel frame, acrylic, LED spotlight

图片系电脑绘制，可能与实际略有不同。

The pictures are plotted by computer and are likely somewhat different from the actual products.

图片系电脑绘制，可能与实际略有不同。

The pictures are plotted by computer and are likely somewhat different from the actual products.



厅门系列
(选配)

LANDING DOOR SERIES
(OPTIONAL)

自动门系列 Automatic door series



YST-CM01

抗指纹发纹不锈钢



YST-CM02

抗指纹发纹不锈钢、玻璃



YST-CM03

镜面不锈钢、蚀刻

半自动系列 Semi-automatic series



YST-CM07

黑色



YST-CM08

红色木纹



YST-CM09

玫瑰金



YST-CM04

钛金不锈钢蚀刻



YST-CM05

玫瑰金钢面蚀刻



YST-CM06

玫瑰金钢面



YST-CM10

香槟金



YST-CM11

蜜涿金



YST-CM12

白色

图片系电脑绘制，可能与实际固有不同。

The pictures are plotted by computer and are likely somewhat different from the actual products.

图片系电脑绘制，可能与实际固有不同。

The pictures are plotted by computer and are likely somewhat different from the actual products.



扶手系列
(选配)

HANDRAIL DOOR SERIES (OPTIONAL)



YST-F001
发纹不锈钢单管
Hairline stainless steel mono-tube

YST-F002
镀面钛金不锈钢单管
Titanium gold mirror stainless steel mono-tube

YST-F003
玫瑰金不锈钢单管
Rose gold stainless steel mono-tube

YST-F004
不锈钢+圆木
stainless steel+round log



YST-F005
钛金镜面不锈钢
Titanium gold mirror stainless steel

YST-F006
钛金镜面不锈钢
Titanium gold mirror stainless steel

YST-F007
玫瑰金+水晶
Rose gold+Crystal

YST-F008
钛黑+水晶
Titanium black+Crystal

门拉手
Door handle



YST-L010
标配 Standard
铝合金
Aluminium Alloy

YST-L011
标配 Standard
玫瑰金铝合金
Rose gold Aluminium Alloy

YST-L012
标配 Standard
瓷珠金铝合金
Porcelain gold Aluminium Alloy

YST-L013
标配 Standard
黑色铝合金
Black Aluminium Alloy

YST-L014
选配 Optional
铝合金
Aluminium Alloy

YST-L015
选配 Optional
瓷珠金铝合金
Porcelain gold Aluminium Alloy

YST-L016
选配 Optional
黑色铝合金
Black Aluminium Alloy

YST-L017
选配 Optional
透明亚克力
Transparent Acrylic

地板 FLOOR

PVC 地板 (标配)
PVC floor (Standard)



YST-DB001



YST-DB002



YST-DB003



YST-DB004



YST-DB005



YST-DB006



YST-DB007



YST-DB008



YST-DB009



YST-DB010



YST-DB011



YST-DB012

图片系电脑绘制，可能与实际图有不同。

The pictures are plotted by computer and are likely somewhat different from the actual products.

图片系电脑绘制，可能与实际图有不同。

The pictures are plotted by computer and are likely somewhat different from the actual products.



电梯功能

FUNCTION TABLE



全面保护

General protection

关门时间保护	外召按钮嵌入自诊断
Closing time protection	Hs button embedded self-diagnosis
轿内紧急照明	故障低速自救功能
Emergency lighting in the car	Fault low-speed self-rescue
限位保护	防打滑保护
Limit protection	Prevent slipping protection
光幕门保护装置	安全回路保护
The screen door protection device	Safety circuit protection
轿顶与控制柜紧急电动运行	超载不启动（警灯及蜂鸣器）
Car roof and control cabinet emergency electric operation	Overload warning (Caution light and buzzer)
故障自动检测功能	上下极限保护装置
Fault automatic diagnosis	Upper and lower limit protection device
警铃	门连锁保护
Alarm bell	Door interlock protection
撞底缓冲装置	运行接触器保护
Hitting the bottom buffer device	Operator contactor protection
门外不能开门	电网电压波动检测功能
Outside door zone without opening door	Wave detection of grid voltage
抱闸检测保护	驱动设备过热保护
Brake detection and protection	Driven equipment overheating protection (OHT)
接触器反馈检测功能	电动松闸
Contactor feedback detection	Electric brake
继电器检查保护	停电应急平层（ARD）
Relay detection protection	Power-off emergency leveling (ARD)
速度反馈检测功能	一键挂号功能
Speed feedback detection	One-touch dial
逆向运行保护	
Protection against reverse travel	



平稳运行

Steady running

无呼无返基站功能	满载不停梯
Return to base station without call	Full-load direct running (LHS)
全集选控制	井道自学习
Full collective control	Hoistway self-learning
待梯层设定	端站快速及楼层号校正
Upon elevator floor setting	End station for speed and floor number correction
自动开关门（自动门 Automatic door）	驻停
Automatic door switch	Parking
预转矩输出	
Pre-torque output	



信息显示

Information display

厅外数字式位置指示器	厅和轿厢呼梯 / 登记
Hall digital position indicator	Hall and car call/register
轿厢数字式位置指示器	运行次数显示功能
Car digital position indicator	Running number display



舒适乘行

Comfortable ride

设置厅、轿门时间（自动门 Automatic door）	重复关门（自动门 Automatic door）
Hall and car door setting time	Repeated closing door
开、关门按钮（自动门 Automatic door）	输入口干试评价
Open and close button	Input port evaluation
轿内通风自动及照明自动控制功能	手动选层
Automatic ventilation and lighting of automatic control in car	Manually selected floor
本层外召开门（自动门 Automatic door）	误登陆取消
Hs calls door opening	Cancellation of wrong landing
不停层设置	O 语音报站
Bypassed stop setting	Voice announcement



保安监控

Security monitoring

- O 监控室与机房、轿厢对讲
(不含机房到监控室连线)
Intercom from monitor room to machine room, car
(Exclude machine room wired to monitor room)
- O CCTV 电缆（轿厢到机房）
CCTV cable (From car to machine room)
- O 电梯远程监控
Elevator remote control

- O BA 接口（干接点）
BA interface (Dry contact)
- O 读卡器
Card reader
- O 小区监视盘
Community monitoring panel
- O 小区电脑监视
Community computer monitoring



注：O 为选配功能

Note: O is optional function



常规
别墅梯

LAYOUT SPECIFICATIONS





Layout plan

额定载重 (KG)	≤ 400	Rated load
额定速度 (M/S)	≤ 0.4	Rated speed
开门方式	中分门	Door open type: center open door
开门净宽 (MM)	600-800	Door open net width
开门净高 (MM)	2000-2100	Door open net height
最小井道宽×深 (MM)	1350×1250	Min. shaft W*D
最小井道对应轿厢尺寸 (MM)	700×700	Min. cabin size
最大井道宽×深 (MM)	1750×1650	Max. shaft W*D
最大井道对应轿厢尺寸 (MM)	1400×1100	Max. cabin size
最大提升高度 (M)	12	Max. lifting height
最小顶层高度 (MM)	3400	Min. top floor height
最小底坑深度 (MM)	300	Min. pit dept

常规
别墅梯

LAYOUT SPECIFICATIONS





Layout plan

额定载重 (KG)	≤ 400	Rated load
额定速度 (M/S)	≤ 0.4	Rated speed
开门方式	中分门	Door open type: center open door
开门净宽 (MM)	600-800	Door open net width
开门净高 (MM)	2000-2100	Door open net height
最小井道宽×深 (MM)	1350×1050	Min. shaft W*D
最小井道对应轿厢尺寸 (MM)	700×700	Min. cabin size
最大井道宽×深 (MM)	2050×1450	Max. shaft W*D
最大井道对应轿厢尺寸 (MM)	1400×1100	Max. cabin size
最大提升高度 (M)	12	Max. lifting height
最小顶层高度 (MM)	3200	Min. top floor height
最小底坑深度 (MM)	400	Min. pit dept



手拉门背包
别墅梯侧置



LAYOUT SPECIFICATIONS



额定载重 (KG)	≤ 400	Rated load
额定速度 (M/S)	≤ 0.3	Rated speed
开门方式	手动门	Door open type: manual pull door
开门净宽 (MM)	600-900	Door open net width
开门净高 (MM)	2000-2100	Door open net height
最小井道宽×深 (MM)	1100×950	Min. shaft W*D
最小井道对应轿厢尺寸 (MM)	700×700	Min. cabin size
最大井道宽×深 (MM)	1500×1650	Max. shaft W*D
最大井道对应轿厢尺寸 (MM)	1100×1400	Max. cabin size
最大提升高度 (M)	12	Max. lifting height
最小顶层高度 (MM)	2700	Min. top floor height
最小底坑深度 (MM)	100	Min. pit depth

手拉门背包
别墅梯后置


LAYOUT SPECIFICATIONS



额定载重 (KG)	≤ 400	Rated load
额定速度 (M/S)	≤ 0.3	Rated speed
开门方式	手动门	Door open type: manual pull door
开门净宽 (MM)	600-900	Door open net width
开门净高 (MM)	2000-2100	Door open net height
最小井道宽×深 (MM)	950×1100	Min. shaft W*D
最小井道对应轿厢尺寸 (MM)	700×700	Min. cabin size
最大井道宽×深 (MM)	1650×1500	Max. shaft W*D
最大井道对应轿厢尺寸 (MM)	1400×1100	Max. cabin size
最大提升高度 (M)	12	Max. lifting height
最小顶层高度 (MM)	2700	Min. top floor height
最小底坑深度 (MM)	100	Min. pit depth



液压梯侧置 LAYOUT SPECIFICATIONS




井道立面图


平面布置图
Layout plan

额定载重 (KG)	≤ 400	Rated load
额定速度 (M/S)	≤ 0.25	Rated speed
开门方式	手拉门	Door open type: manual pull door
开门净宽 (MM)	600-900	Door open net width
开门净高 (MM)	2000-2100	Door open net height
最小井道宽×深 (MM)	1100×850	Min. shaft W*D
最小井道对应轿厢尺寸 (MM)	700×750	Min. cabin size
最大井道宽×深 (MM)	1600×1300	Max. shaft W*D
最大井道对应轿厢尺寸 (MM)	1200×1200	Max. cabin size
最大提升高度 (M)	12	Max. lifting height
最小顶层高度 (MM)	2700	Min. top floor height

液压梯后置 LAYOUT SPECIFICATIONS



井道立面图





平面布置图

额定载重 (KG)	≤ 400	Rated load
额定速度 (M/S)	≤ 0.25	Rated speed
开门方式	手拉门	Door open type: manual pull door
开门净宽 (MM)	600-900	Door open net width
开门净高 (MM)	2000-2100	Door open net height
最小井道宽×深 (MM)	850×1100	Min. shaft W*D
最小井道对应轿厢尺寸 (MM)	750×700	Min. cabin size
最大井道宽×深 (MM)	1300×1600	Max. shaft W*D
最大井道对应轿厢尺寸 (MM)	1200×1200	Max. cabin size
最大提升高度 (M)	12	Max. lifting height
最小顶层高度 (MM)	2700	Min. top floor height



中分门背包
别墅梯侧置



LAYOUT SPECIFICATIONS



额定载重 (KG)	≤ 400	Rated load
额定速度 (M/S)	≤ 0.4	Rated speed
开门方式	中分门	Door open type: center open door
开门净宽 (MM)	600-800	Door open net width
开门净高 (MM)	2000-2100	Door open net height
最小井道宽×深 (MM)	1350×1050	Min. shaft W*D
最小井道对应轿厢尺寸 (MM)	700×700	Min. cabin size
最大井道宽×深 (MM)	1960×1450	Max. shaft W*D
最大井道对应轿厢尺寸 (MM)	1400×1100	Max. cabin size
最大提升高度 (M)	12	Max. lifting height
最小顶层高度 (MM)	2700	Min. top floor height
最小底坑深度 (MM)	300	Min. pit depth

中分门背包
别墅梯后置

LAYOUT SPECIFICATIONS



额定载重 (KG)	≤ 400	Rated load
额定速度 (M/S)	≤ 0.4	Rated speed
开门方式	中分门	Door open type: center open door
开门净宽 (MM)	600-800	Door open net width
开门净高 (MM)	2000-2100	Door open net height
最小井道宽×深 (MM)	1350×1300	Min. shaft W*D
最小井道对应轿厢尺寸 (MM)	700×700	Min. cabin size
最大井道宽×深 (MM)	1960×1700	Max. shaft W*D
最大井道对应轿厢尺寸 (MM)	1400×1100	Max. cabin size
最大提升高度 (M)	12	Max. lifting height
最小顶层高度 (MM)	2700	Min. top floor height
最小底坑深度 (MM)	300	Min. pit depth



完善的服务体系，
旨在为您服务

PERFECT SERVICE SYSTEM IS TO SERVE YOU

高端府邸必选

Indispensable for High-point Mansion



提供全定制化的私人专享方案
Provide a Whole Customized Exclusive Plan

To Provide A Set of Complete Private Exclusive Elevator Solution



提供360°效果选配预案
Provide 360° Visual Plan for Selection

Select as Your Wishes, Solve the Problem for You.



提供全程监理服务

保证每一个环节完美进行，顺利结束。

Provide Full Supervision Service

To Ensure Each Segments are Implemented Perfectly and Smoothly



提供安装调试服务

确保了产品安全可靠、运行顺畅、乘坐舒适。

Provide Installation and Testing Service

To Ensure Doppler's Products Run Safely, Stably, Smoothly and Comfortably



24H 尊享家服务专线

保持通畅的尊贵服务专线，让您全天无忧。

7/24 Enjoy-Home Service Line

To remain the service real-time online and ensure no matter with you